



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

TECPO Werkstattreiniger Konzentrat HQ+_EN

Article No.

300412

UFI code

XQYT-KUP0-M00V-U3NV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaning agent for professional use

Not suitable for use in

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

SDS created by

Gefahrgutberatung Florian Herber, Erbigsweg 12, 36137 Großenlüder

Telefon: 0163 / 8408334

E-Mail: kontakt@gefahrgut-herber.de

www.gefahrgut-herber.de



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Supplier

TECPO GmbH

Address

Dreherstraße 16-20

42899 Remscheid
Germany

Telephone

+49 2191 951 3305

Email

info@tecpo.de

Fax

+49 2191 951 33044

Web site

www.tecpo.de

Contact person

Baris Ünsal

1.4. Emergency telephone number

Poison center/Additional emergency number

+49 (0) 89 19240 (Available 24/7) - Poison Emergency Call Munich (Available for the public.)

Other

Observe the information on the label and the instructions for use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Serious eye damage, hazard category 1

Hazard statements

H318

Description

The product is classified and labeled according to the CLP regulation.

TECPO

Werkstattreiniger Konzentrat HQ+_EN

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to dispose of in accordance with local / regional / national / international regulations.

More information

Hazard-determining components of labeling:

Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt

Alcohol C13, branched, ethoxylated, 6–20 EO

Ingredients according to detergent regulation EC 648/2004:

< 5 % anionic surfactants , non-ionic surfactants , phosphates , perfumes

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

The product does not contain any substances with endocrine-disrupting properties.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Specific concentration limits ATE	Note
Alcohol C13, branched, ethoxylated, 6–20 EO	69011-36-5 - - -	1 - <10%	Acute Tox. 4 - oral, Eye Dam. 1	H302, H318 - -	ATE [Oral]: 500 mg/kg bw	-
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt	68891-38-3 500-234-8 01-2119488639-16 -	1 - <10%	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3	H315, H318, H412 - -		dermal: LD50 = >2000 mg/kg; oral: LD50 = 4100 mg/kg
1-methoxy-2-propanol; monopropylene glycol methyl ether	107-98-2 203-539-1 01-2119457435-35 603-064-00-3	1 - <10%	Flam. Liq. 3, STOT SE 3 - narcosis	H226, H336 - -		dermal: LD50 = 11000 mg/kg; oral: LD50 = >5000 mg/kg
3-butoxypropan-2-ol; propylene glycol monobutyl ether	5131-66-8 225-878-4 01-2119475527-28 603-052-00-8	1 - <10%	Skin Irrit. 2, Eye Irrit. 2	H315, H319 - -		dermal: LD50 = >2000 mg/kg; oral: LD50 = 3300 mg/kg

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

First aiders should pay attention to self-protection. Remove the affected person from the danger zone and lay them down. Immediately remove contaminated clothing. If unconscious, place in recovery position and seek medical assistance immediately.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Inhalation

Provide fresh air. Take the affected person out into the fresh air and keep them warm and calm. Get medical advice/attention. In the event of breathing difficulties or respiratory arrest, initiate artificial respiration.

Skin contact

IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.

Eye contact

Keep eyelids open and rinse thoroughly with clean, running water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. See an ophthalmologist.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Consult a doctor immediately. Keep the injured person still.

4.2. Most important symptoms and effects, both acute and delayed

There is no information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Adapt fire extinguishing measures to the surroundings.

In case of fire: Use alcohol-resistant foam, carbon dioxide (CO₂), extinguishing powder or water spray to extinguish.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Inhalation of fire fumes can cause serious damage to health.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus.

Other

Knock down gases/vapors/mist with water spray. Collect contaminated extinguishing water separately. Do not allow to enter drains or waterways. Do not enter the subsoil/soil. Cool closed containers near the source of the fire with water. Heating leads to an increase in pressure and risk of bursting.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not inhale gas/fume/vapor/aerosol. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Keep unprotected persons away.

6.2. Environmental precautions

Do not allow to enter drains/surface water/ground water. Do not allow to enter the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder). Dispose of the collected material in accordance with the regulations (Section 13).

6.4. Reference to other sections

See SECTIONS 7+8+13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Instructions for safe handling:

Ensure adequate ventilation. For open handling, use devices with local exhaust ventilation. Do not inhale gas/fume/vapor/aerosol.

Open and handle container with care. When using do not eat, drink or smoke.

Notes on fire and explosion protection:

No special measures required.

General hygiene

Remove soiled, soaked clothing immediately. Draw up and follow a skin protection plan! Wash hands and face thoroughly before breaks and at the end of work, shower if necessary. Do not eat, drink, smoke or sniff at the workplace. Keep away from food, drink and animal feeding stuffs.

Skin contact: Wash skin thoroughly with soap and water.

The general hygiene measures for handling chemicals must be applied. Remove contaminated clothing and protective equipment before entering areas where food is served.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0
Issued: 2026-06-15

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers:

Keep containers tightly closed.

Storage instructions:

Do not store together with oxidizing agents.

Do not store together with oxidizing or self-igniting substances.

Keep away from food, drink and animal feeding stuffs.

Storage class according to TRGS 510: 12 (Non-flammable liquids)

7.3. Specific end use(s)

for professional use

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m ³	Source	Remark	Year
1-methoxy-2-propanol; monopropylene glycol methyl ether	107-98-2 203-539-1	100 / 370	TRGS 900	2(l), Y	-

Biological limit values

Product/Sub- stance name CAS No.	Parameter	Limit value	Test material	Sampling time	Source	Remark	Date
1-methoxy-2-propanol; mono-propylene glycol methyl ether 107-98-2	1-methoxypropan-2-ol	15 mg/L	Urine	End of exposure or end of shift			

DNEL/DMEL



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	DNEL	Chronic (long term) Dermal	2750 mg/kg bw/day	Workers	Systemic
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	DNEL	Chronic (long term) Inhalation	175 mg/m ³	Workers	Systemic
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	DNEL	Chronic (long term) Oral	15 mg/kg bw/day	Consumers	Systemic
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	DNEL	Chronic (long term) Inhalation	52 mg/m ³	Consumers	Systemic
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	DNEL	Chronic (long term) Dermal	1650 mg/kg bw/day	Consumers	Systemic
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	DNEL	Chronic (long term) Inhalation	147 mg/m ³	Workers	Systemic
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	DNEL	Chronic (long term) Dermal	52 mg/kg bw/day	Workers	Systemic
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	DNEL	Chronic (long term) Inhalation	43 mg/m ³	Consumers	Systemic
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	DNEL	Chronic (long term) Dermal	22 mg/kg bw/day	Consumers	Systemic
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	DNEL	Chronic (long term) Oral	12,5 mg/kg bw/day	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	PNEC	Freshwater	0,24 mg/l
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO,	PNEC	Marine water	0,024 mg/l

TECPO

Werkstattreiniger Konzentrat HQ+_EN

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
sulfated, sodium salt (68891-38-3/500-234-8)			
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	PNEC	Soil	0,946 mg/kg
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	PNEC	Sewage Treatment Plant	10000 mg/l
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	PNEC	Sediment (freshwater)	5,45 mg/kg
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt (68891-38-3/500-234-8)	PNEC	Sediment (marine water)	0,545 mg/kg
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Intermittent releases (freshwater)	5,25 mg/l
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Freshwater	0,525 mg/l
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Marine water	0,052 mg/l
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Sewage Treatment Plant	10 mg/l
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Sediment (freshwater)	2,36 mg/kg
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Sediment (marine water)	0,236 mg/kg
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8/225-878-4)	PNEC	Soil	0,16 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Do not inhale gas/fume/vapor/aerosol.

Personal Protective Equipment Symbols



Eye / face protection

Wear eye protection/face protection. Suitable eye protection: Basket goggles. DIN EN 166



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Hand protection

When handling chemical substances, only chemical protective gloves with a CE mark including a four-digit test number may be worn. The design of chemical protective gloves must be depending on the concentration and quantity of hazardous substances. It is recommended recommended to clarify the chemical resistance of the above-mentioned protective gloves for special applications with the glove manufacturer.

Other skin protection

Wear protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow uncontrolled release of the product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colorless

Odour

Fresh , citrus-like

Melting point / freezing point

Not determined.

Boiling point or initial boiling point and boiling range

Not determined.

Flammability

Not applicable.

Lower and upper explosion limit

Not determined.

Flash point

Not determined.

Auto-ignition temperature

Not applicable.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Decomposition temperature

Not determined.

pH

8

Kinematic viscosity

Not determined.

Solubility

Not determined.

Water solubility

Slightly soluble in water.

Partition coefficient n-octanol/water

Not determined.

Vapour pressure

Not determined.

Density and/or relative density

1,06 g/cm³

Relative vapour density

Not determined.

Evaporation Rate

Not determined.

Explosive properties

The product is not potentially explosive.

Oxidising properties

Not oxidizing.

Particle characteristics

Not applicable.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions will occur if handled and stored as directed.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases, and strong oxidizing agents to prevent exothermic reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

There is no information available.

10.6. Hazardous decomposition products

In the event of fire, the following may occur: Carbon oxides

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met.

Acute toxicity

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals	Method / Guideline
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	LD50	4100 mg/kg	Oral	Rat	OECD 401
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	LD50	>2000 mg/kg	Dermal	Rat	OECD 402
1-methoxy-2-propanol; monopropylene glycol methyl	LD50	> 5000 mg/kg	Oral	Rat	IUCLID



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals	Method / Guideline
ether 107-98-2 / 203-539-1					
1-methoxy-2-propanol; monopropylene glycol methyl ether 107-98-2 / 203-539-1	LD50	11000 mg/kg	Dermal	Rabbit	-
Alcohol C13, branched, ethoxylated, 6–20 EO 69011-36-5 /	ATE	500 mg/kg	Oral	-	-
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	LD50	> 2000 mg/kg bw	Dermal	rat	OECD 402
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	LD50	3300 mg/kg bw	Oral	rat	OECD 401

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0
Issued: 2026-06-15

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards humans, as no ingredient meets the criteria.

Other information

The mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

The product is not ecotoxic.

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	NOEC	1 mg/l	45 days	fish	-
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	LC50	7,1 mg/l	96 hours	Brachydanio rerio (Zebra Fish)	OECD 203
1-methoxy-2-propanol; monopropylene glycol methyl ether 107-98-2 / 203-539-	LC50	4600 - 10000 mg/l	96 hours	Leuciscus idus (Golden orfe)	IUCLID



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
1					
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	LC50	> 560 mg/L	96 hours	Poecilia reticulata	OECD 203

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	ErC50	27,2 mg/l	72 hours	algae	OECD 201
1-methoxy-2-propanol; monopropylene glycol methyl ether 107-98-2 / 203-539-1	ErC50	> 1000 mg/l	72 hours	Selenastrum capricornutum	-
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	ErC50	> 1000 mg/L	96 hours	Pseudokirchneriella subcapitata	-
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	NOEC	= 560 mg/L	96 hours	Pseudokirchneriella subcapitata	-

Acute crustacean toxicity



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	EC50	7,4 mg/l	48 hours	Daphnia magna	OECD 202
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	NOEC	0,27 mg/l	21 days	Daphnia magna	OECD 211
1-methoxy-2-propanol; monopropylene glycol methyl ether 107-98-2 / 203-539-1	EC50	> 500 mg/l	48 hours	Daphnia magna	IUCLID
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	EC50	> 1000 mg/L	48 hours	Daphnia magna	OECD 202

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	EC50	> 1000 mg/L	3 hours	Activated sludge	OECD 209

12.2. Persistence and degradability

The product has not been tested.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

Product / Substance name CAS / EC no.	Type of test	Duration	Result	Degradation	Method / Guideline
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	Ready biodegradability	28 days	Readily biodegradable	100% (28 days)	-
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	Ready biodegradability	28 days	Readily biodegradable	90% (28 days)	OECD 301E

12.3. Bioaccumulative potential

The product has not been tested.

Product / Substance name CAS / EC no.	LogKow / LogPow	Bioconcentration factor (BCF)
Alcohols, C12–14 (even-chain), ethoxylated < 2.5 EO, sulfated, sodium salt 68891-38-3 / 500-234-8	0,3	<3
1-methoxy-2-propanol; monopropylene glycol methyl ether 107-98-2 / 203-539-1	-0,437	-
3-butoxypropan-2-ol; propylene glycol monobutyl ether 5131-66-8 / 225-878-4	1.2	-

12.4. Mobility in soil

Mobility

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not fulfill the PBT/vPvB criteria according to REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards non-target organisms, as no ingredient fulfills the criteria.

12.7. Other adverse effects

No further relevant information available.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0
Issued: 2026-06-15

Other

Avoid release to the environment.

German Water Class

WGK1 - slightly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Do not allow to enter drains or waterways. Disposal in accordance with official regulations.

Packaging

Contaminated packaging must be disposed of in the same way as the substance. Non-contaminated and completely emptied packaging can be recycled. Contact the responsible authorized waste disposal company for waste disposal.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

No dangerous goods in the sense of these transport regulations.

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

No dangerous goods in the sense of these transport regulations.

14.3. Transport hazard class(es)

Label

No dangerous goods in the sense of these transport regulations.

ADR / RID Class

No dangerous goods in the sense of these transport regulations.

ADR / RID Classification code

No dangerous goods in the sense of these transport regulations.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

ADR / RID hazard identification number

No dangerous goods in the sense of these transport regulations.

IMDG Class

No dangerous goods in the sense of these transport regulations.

14.4. Packing group

No dangerous goods in the sense of these transport regulations.

14.5. Environmental hazards

No.

IMDG Marine Pollutant

No.

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Annex XVII (REACH): The product is subject to the following restrictions according to Annex XVII, Regulation (EC) 1907/2006 (REACH): 3 , 40 , 75

Information on the SEVESO III Directive 2012/18/EU: Not subject to the SEVESO III Directive

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

< 5 % anionic surfactants , non-ionic surfactants , phosphates , perfumes

National regulations

Employment restrictions: Observe employment restrictions for young people (§ 22 JArbSchG)

Water hazard class (WGK): 1, slightly hazardous to water.

Status Classification of mixtures according to Annex 1, No. 5 AwSV

Storage class: 12 (Non-flammable liquids)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.



TECPO

Werkstattreiniger Konzentrat HQ+_EN

Version number: 1.0

Issued: 2026-06-15

SECTION 16: Other information

Phrase meaning

Eye Dam. 1 - Serious eye damage, hazard category 1

Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4

Skin Irrit. 2 - Skin irritation, hazard category 2

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3

Flam. Liq. 3 - Flammable liquids, hazard category 3

STOT SE 3 - narcosis - Specific Target Organ Toxicity — Single exposure, hazard category 3 - narcosis

Eye Irrit. 2 - Eye irritation, hazard category 2

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Other

Additional information

The information is based on our current state of knowledge, but does not constitute a guarantee of product properties and does not establish a contractual legal relationship. The recipient of our products is responsible for observing existing laws and regulations. The information in this safety data sheet corresponds to the best of our knowledge at the time of printing. The information is intended to provide you with guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. If the product is mixed, blended or processed with other materials processed or subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise.

Manufacturer's notes

The data of the relevant components were taken from the latest safety data sheet of the upstream supplier.